

**Commonwealth of Kentucky  
Energy and Environment Cabinet  
Department for Environmental Protection  
Division for Air Quality  
200 Fair Oaks Lane, 1<sup>st</sup> Floor  
Frankfort, Kentucky 40601  
(502) 564-3999**

**AIR QUALITY PERMIT  
Issued under 401 KAR 52:040**

**Permittee Name:** YH America, Inc.  
**Mailing Address:** 105 Kuhlman Dr, Versailles,Ky 40383


**Source Name:** YH America, Inc. Hose Production Division  
**Mailing Address:** 105 Kuhlman Dr  
Versailles,Ky 40383

**Permit ID:** S-06-080 R1  
**Agency Interest #:** 4249  
**Activity ID:** APE20080001  
**Review Type:** Minor Source, Construction / Operating  
**Source ID:** 21-239-00016

**Regional Office:** Frankfort Regional Office  
663 Teton Trail  
Frankfort, KY 40601  
(502) 564-3358

**County:** Woodford

**Application**  
**Complete Date:** November 14, 2008  
**Issuance Date:** December 13, 2008  
**Revision Date:**  
**Expiration Date:** December 13, 2018

Designed by John S. Lyons  


---

**John S. Lyons, Director  
Division for Air Quality**

## **SECTION A - PERMIT AUTHORIZATION**

Pursuant to a duly submitted application the Kentucky Division for Air Quality hereby authorizes the operation of the equipment described herein in accordance with the terms and conditions of this permit. This permit has been issued under the provisions of Kentucky Revised Statutes Chapter 224 and regulations promulgated pursuant thereto.

The permittee shall not construct, reconstruct, or modify any affected facilities without first submitting a complete application and receiving a permit for the planned activity from the permitting authority, except as provided in this permit or in 401 KAR 52:040, State-origin permits.

Issuance of this permit does not relieve the permittee from the responsibility of obtaining other permits, licenses, or approvals that may be required by the Cabinet or other federal, state, or local agencies.

## **SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS**

### **01 (S001-3) Three Sealant Machine**

**Description:** Sealant machine, 930 fittings per hour for all three on continue process. Hamatite and 11x-009 are the sealant used. No fuel is used.

Construction commenced: 1991

### **02 (B001-11) Braze Rings Units**

**Description:** One braze ring used per part, corrosive and non-corrosive braze ring. No fuel.

Construction commenced: 1990

### **03 (C001) Copper Ammonia Braze Furnace**

**Description:** Braze Furnace to produce and attractive steel tubes finish. No fuel.

Construction commenced: 1993

### **04 (P001-4) Proof Testers**

**Description:** Mineral Spirit used on the finished tubes.

Construction commenced: 1992

### **05 Miscellaneous Emissions.**

Remote or multiple location support functions are operations that are integral to aluminum and steel tubes or hoses, but cannot be grouped into one physical area nor can the materials used be tracked by specific physical areas. These miscellaneous operations include cleaning solvents and/or miscellaneous chemicals.

### **06 (M001) Maintenance paint booth**

**Description:** Extremely variable operation, touch-up or initial paint items.

Construction commenced: 1993

### **07 (CLN-01) Glycol Cleaning Line**

**Description:** Steel and aluminum parts cleaner. No fuel.

Construction commenced: 1992

## **SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)**

### **APPLICABLE REGULATIONS:**

**401 KAR 63:020, Air Toxics.** Potentially hazardous matter or toxic substances, applicable to each affected facility (s) which emits or may emit potentially hazardous matter or toxic substances.

#### **Compliance Demonstration Method:**

The source is in compliance with 401 KAR 63:020 based on the emission rates of toxics given in the application submitted by the source. If the source alters process rates, material formulations, or any other factor that would result in an increase of toxic emissions or the addition of toxic emissions not previously evaluated by the Division, the source shall submit the appropriate application forms pursuant to 401 KAR 52:040, Section 3(1)(a), along with modeling to show that the facility will remain in compliance with **401 KAR 63:020**.

1. **Operating Limitations:** NA
2. **Emission Limitations:** NA
3. **Testing Requirements:** NA
4. **Monitoring Requirements:** The permittee shall monitor chemicals used at a monthly basis. Also see section C.
5. **Recordkeeping Requirements:** The permittee chemicals used at a monthly basis. Also see section C.
6. **Reporting Requirements:** NA

**SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)****08 (HOA-04) Powder Coat**

**Description:** Coat powder is sprayed in an airless operation.

**APPLICABLE REGULATIONS:**

401 KAR 59:010 New process operation.

**1. Operating Limitations:**

None

**2. Emission Limitations:**

a. Pursuant to 401 KAR 59:010, Appendix A, the emissions of particulate matter shall not exceed the allowable rate limit as calculated by the following equations using the process weight rate (in units of tons/hr).

For process rates up to 1,000 lbs/hr:  $E = 2.34 \text{ lbs/hr}$

For process rates up to 60,000 lbs/hr:  $E = 3.59 P^{0.62}$

For process rates in excess of 60,000 lbs/hr:  $E = 17.31 P^{0.16}$

For the equations: E = rate of emission in lb/hr and P = process weight rate in tons/hr (monthly throughput in tons/monthly hours of operation).

b. Pursuant to 401 KAR 59:010, Section 3, opacity shall not exceed 20%.

***Compliance Demonstration Method:***

a. Compliance with hourly emission limit shall be determined as follows:

Hourly Emission Rate = [Monthly processing rate x Emission Factor as determined from AP-42 \* / (Hours of operation per month)] (1-Control Efficiency)

\* If an Emission Factor other than that taken from AP-42 is used, documentation on how that Emission Factor was derived must be submitted to the Division's Central Office for approval.

b. Compliance with the opacity limits shall be demonstrated through the following methods: The permittee shall perform the monitoring and recordkeeping requirements listed under **4. Specific Monitoring Requirements** and **5. Specific Recordkeeping Requirements** during all periods.

**3. Testing Requirements:**

Pursuant to 401 KAR 59:005, Section 2(2), 401 KAR 50:045, Section 1 and 40 CFR 60.8, performance testing of criteria pollutants using Reference Methods specified in 401 KAR 50:015 shall be conducted if required by the Division.

## **SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)**

### **4. Specific Monitoring Requirements:**

The permittee shall monitor and maintain records:

- a. The total monthly (each calendar month) throughput of each raw material.
- b. The hours per month of operation for the unit(s).
- c. Once per month, during all periods of Powder Coating operations, the permittee shall survey the emission unit for qualitative visible emissions and maintain a log of observations.
- d. If no visible emissions are observed then no further monitoring is required. If visible emissions are observed, the permittee shall perform a EPA Method 9 reading. The opacity observed shall be recorded in the monthly log. The reading shall be performed by a representative of the permittee certified in Visible Emissions Evaluations. The permittee shall maintain a list of all individuals that are certified Visible Emissions Evaluators and the date of certification.

### **5. Specific Recordkeeping Requirements: NA**

### **6. Specific Reporting Requirements:**

See Section C, General Conditions C.1, C.2, C.3, and F.2.

## SECTION C - GENERAL CONDITIONS

### A. Administrative Requirements

1. The permittee shall comply with all conditions of this permit. Noncompliance shall be a violation of 401 KAR 52:040, Section 3(1)(b) and is grounds for enforcement action including but not limited to the termination, revocation and reissuance, or revision of this permit.
2. This permit shall remain in effect for a fixed term of ten (5) years following the original date of issue. Permit expiration shall terminate the source's right to operate unless a timely and complete renewal application has been submitted to the Division at least six months prior to the expiration date of the permit. Upon a timely and complete submittal, the authorization to operate within the terms and conditions of this permit, including any permit shield, shall remain in effect beyond the expiration date, until the renewal permit is issued or denied by the Division. [401 KAR 52:040, Section 15]
3. Any condition or portion of this permit which becomes suspended or is ruled invalid as a result of any legal or other action shall not invalidate any other portion or condition of this permit [Material incorporated by reference by 401 KAR 52:040, Section 1a, 11].
4. Pursuant to materials incorporated by reference by 401 KAR 52:040, this permit may be revised, revoked, reopened, reissued, or terminated for cause. The filing of a request by the permittee for any permit revision, revocation, reissuance, or termination, or of a notification of a planned change or anticipated noncompliance shall not stay any permit condition [Material incorporated by reference by 401 KAR 52:040, Section 1a, 4,5].
5. This permit does not convey property rights or exclusive privileges [Material incorporated by reference by 401 KAR 52:040, Section 1a, 8].
6. Nothing in this permit shall alter or affect the liability of the permittee for any violation of applicable requirements prior to or at the time of permit issuance [401 KAR 52:040 Section 11(3)].
7. This permit shall be subject to suspension at any time the permittee fails to pay all fees within 90 days after notification as specified in 401 KAR 50:038, Air emissions fee. The permittee shall submit an annual emissions certification pursuant to 401 KAR 52:040, Section 20.
8. All previously issued permits to this source at this location are hereby null and void

## **SECTION C - GENERAL CONDITIONS (CONTINUED)**

### **B. Recordkeeping Requirements**

1. Records of all required monitoring data and support information, including calibrations, maintenance records, and original strip chart recordings, and copies of all reports required by the Division for Air Quality, shall be retained by the permittee for a period of at least five years and shall be made available for inspection upon request by any duly authorized representative of the Division for Air Quality [401 KAR 52:040 Section 3(1)(f)].
2. The permittee shall perform compliance certification and recordkeeping sufficient to assure compliance with the terms and conditions of the permit. Documents, including reports, shall be certified by a responsible official pursuant to 401 KAR 52:040, Section 21.

### **C. Reporting Requirements**

1.
  - a. In accordance with the provisions of 401 KAR 50:055, Section 1, the permittee shall notify the Regional Office listed on the front of this permit concerning startups, shutdowns, or malfunctions as follows:
    - i. When emissions during any planned shutdowns and ensuing startups will exceed the standards, notification shall be made no later than three (3) days before the planned shutdown, or immediately following the decision to shut down, if the shutdown is due to events which could not have been foreseen three (3) days before the shutdown.
    - ii. When emissions due to malfunctions, unplanned shutdowns and ensuing startups are or may be in excess of the standards, notification shall be made as promptly as possible by telephone (or other electronic media) and shall be submitted in writing upon request.
  - b. The permittee shall promptly report deviations from permit requirements including those attributed to upset conditions (other than emission exceedances covered by Reporting Requirement condition 1. a. above), the probable cause of the deviation, and corrective or preventive measures taken; to the Regional Office listed on the front of this permit within 30 days. Other deviations from permit requirements shall be included in the semiannual report [Material incorporated by reference by 401 KAR 52:040, Section 5, 3].
2. The permittee shall furnish information requested by the Cabinet to determine if cause exists for modifying, revoking and reissuing, or terminating the permit; or to determine compliance with the permit [Material incorporated by reference by 401 KAR 52:040, Section 1a, 6].



## **SECTION C - GENERAL CONDITIONS (CONTINUED)**

3. Summary reports of monitoring required by this permit shall be submitted to the Regional Office listed on the front of this permit at least every six (6) months during the life of this permit. For emission units that were still under construction or which had not commenced operation at the end of the 6-month period covered by the report and are subject to monitoring requirements in this permit, the report shall indicate that no monitoring was performed during the previous six months because the emission unit was not in operation. The summary reports are due January 30th and July 30th of each year. All deviations from permit requirements shall be clearly identified in the reports. All reports shall be certified by a responsible official pursuant to 401 KAR 52:040, Section 21.

### **D. Inspections**

1. In accordance with the requirements of 401 KAR 52:040, Section 3(1)(f) the permittee shall allow authorized representatives of the Cabinet to perform the following during reasonable times. Reasonable times are defined as during all hours of operation, during normal office hours; or during an emergency:
  - a. Enter upon the premises to inspect any facility, equipment (including air pollution control equipment), practice, or operation.
  - b. To access and copy any records required by the permit.
  - c. Inspect, at reasonable times, any facilities, equipment (including monitoring and pollution control equipment), practices, or operations required by the permit.
  - d. Sample or monitor, at reasonable times, substances or parameters to assure compliance with the permit or any applicable requirements.

### **E. Emergencies/Enforcement Provisions**

1. The permittee shall not use as defense in an enforcement action, the contention that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance [Material incorporated by reference by 401 KAR 52:040, Section 1a, 3].

## **SECTION C - GENERAL CONDITIONS (CONTINUED)**

2. An emergency shall constitute an affirmative defense to an action brought for the noncompliance with the technology-based emission limitations if the permittee demonstrates through properly signed contemporaneous operating logs or relevant evidence that:
  - a. An emergency occurred and the permittee can identify the cause of the emergency;
  - b. The permitted facility was at the time being properly operated;
  - c. During an emergency, the permittee took all reasonable steps to minimize levels of emissions that exceeded the emissions standards or other requirements in the permit; and
  - d. The permittee notified the Division as promptly as possible and submitted written notice of the emergency to the Division within two working days after the time when emission limitations were exceeded due to the emergency and included a description of the emergency, steps taken to mitigate emissions, and corrective actions taken.
3. Emergency provisions listed in General Condition E.2 are in addition to any emergency or upset provision contained in an applicable requirement [401 KAR 52:040, Section 22(1)].
4. In an enforcement proceeding, the permittee seeking to establish the occurrence of an emergency shall have the burden of proof. [401 KAR 52:040, Section 22(2)].

### **F. Compliance**

1. Periodic testing or instrumental or non-instrumental monitoring, which may consist of record keeping, shall be performed to the extent necessary to yield reliable data for purposes of demonstration of continuing compliance with the conditions of this permit. For the purpose of demonstration of continuing compliance, the following guidelines shall be followed:
  - a. Pursuant to 401 KAR 50:055, General compliance requirements, Section 2(5), all air pollution control equipment and all pollution control measures proposed by the application in response to which this permit is issued shall be in place, properly maintained, and in operation at any time an affected facility for which the equipment and measures are designed is operated, except as provided by 401 KAR 50:055, Section 1.
  - b. All the air pollution control systems shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers. A log shall be kept of all routine and nonroutine maintenance performed on each control device.
  - c. A log of the monthly raw material consumption and monthly production rates shall be kept available at the facility. Compliance with the emission limits may be demonstrated by computer program, spread sheets, calculations or performance tests as may be specified by the Division [401 KAR 50:055, Section 2].

## SECTION C - GENERAL CONDITIONS (CONTINUED)

2. Pursuant to 401 KAR 52:040, Section 19, the permittee shall certify compliance with the terms and conditions contained in this permit by January 30th of each year, by completing and returning a Compliance Certification Form (DEP 7007CC) (or an approved alternative) to the Regional Office listed on the front of this permit in accordance with the following requirements:
  - a. Identification of the term or condition;
  - b. Compliance status of each term or condition of the permit;
  - c. Whether compliance was continuous or intermittent;
  - d. The method used for determining the compliance status for the source, currently and over the reporting period, and
  - e. For an emissions unit that was still under construction or which has not commenced operation at the end of the 12-month period covered by the annual compliance certification, the permittee shall indicate that the unit is under construction and that compliance with any applicable requirements will be demonstrated within the timeframes specified in the permit.
  - f. The certification shall be postmarked by January 30th of each year. Annual compliance certifications should be mailed to the following addresses:
 

<p>Division for Air Quality                Frankfort Regional Office                643 Teton trail, Suite B                Frankfort, KY 40601-1758</p>	<p>Division for Air Quality                Central Files                200 Fair Oaks Lane, 1<sup>st</sup> Floor                Frankfort, KY 40601-1403</p>
--	--
3. Permit Shield - A permit shield shall not protect the owner or operator from enforcement actions for violating an applicable requirement prior to or at the time of permit issuance. Compliance with the conditions of this permit shall be considered compliance with all:
  - (a) Applicable requirements that are included and specifically identified in this permit; or
  - (b) Non-applicable requirements expressly identified in this permit [401 KAR 52:040, Section 11].

### G. Construction Requirements: NA

**SECTION D - INSIGNIFICANT ACTIVITIES**

The following listed activities have been determined to be insignificant activities for this source pursuant to 401 KAR 52:040, Section 6. While these activities are designated as insignificant the permittee shall comply with the applicable regulation and any level of periodic monitoring specified below.

<u>Description</u>	<u>Generally Applicable Regulation</u>
1. Hose cutters in P/S Assembly previously identified as BFM-03, HCX-02, HCX-04 and HCX-05	401 KAR 59:010
2. Powder coat oven in powder coat area previously identified as HOA-04	401 KAR 59:010
3. Robotic Welder identified as WLA01	401 KAR 59:010